

Contact us: +56 9 4205 8882 - +56 9 9828 3172 - [contacto@pewenwp.cl](mailto:contacto@pewenwp.cl) - [www.pewenwp.cl](http://www.pewenwp.cl)

Structural CDx Plywood



We stand out as a company specialized in international trading products derived from wood, offering both raw materials or commodities as products with added value.

Your best structural panel for construction

# STRUCTURAL CDX RADIATA PINE PLYWOOD

## Construction, Industry, Packaging

Products made with certified wood from forests with sustainable forest management, as well as under ISO 9001 quality standards and ISO 14001 - APL environmental care



**C FACE**

## Technical Details

Size	Thickness Tolerance
1,22 x 2,44 m.	±0,60mm

Thickness	Number of plies of Board	N° boards per pallet
9mm	3 plies	108 units
12mm	5 plies	80 units
15mm	5 plies	65 units
18mm	7 plies	54 units



Structural CDx Plywood


## CONTACT US

+56 9 4205 8882 - +56 9 9828 3172  
contacto@pewenwp.cl  
[www.pewenwp.cl](http://www.pewenwp.cl)

# CHARACTERISTICS C/D

	FACE C	BACK D
<b>Finishing</b>		
Fine grain not sanded	Yes	Yes
<b>Defects</b>		
Firm Knots	Up to 40 mm	Up to 65 mm
Open Knots	Up to 40 mm	Up to 65 mm
Knots Holes	Up to 25 mm	Up to 65 mm
Resin Pockets	Accept	Accept
Bark Pockets	Accept	Accept
Freckles	Accept	Accept
<b>Other Defects</b>		
Open Cracks	Up to 25 mm	Up to 25 mm
Open Tears	Up to 25 mm	Up to 25 mm
Funfal Spots	Accept	Accept
Rugosity	Accept	Accept
<b>Repairs</b>		
Open Cracks in Knots	Not repaired Up to 1mm width	Accept
Putty Repairs	Not applicable	Not applicable
Individual Wood Patches	Accept	Accept

Resin	Quantity
Phenol Formaldehyde	150 - 220 grs/m <sup>2</sup>



## CONTACT US

+56 9 4205 8882 - +56 9 9828 3172  
 contacto@pewenwp.cl  
[www.pewenwp.cl](http://www.pewenwp.cl)



**CONTACT US**

+56 9 4205 8882 – +56 9 9828 3172 - [contacto@pewenwp.cl](mailto:contacto@pewenwp.cl)

**[www.pewenwp.cl](http://www.pewenwp.cl)**