


Contact us: +56 9 4205 8882 - +56 9 9828 3172 - contacto@pewenwp.cl - www.pewenwp.cl

Radiata Pine Grooved plywood



We stand out as a company **specialized in international trading products derived from wood**, offering both raw materials or commodities as products with added value.

Excellent choice for covering and decorating
RADIATA PINE GROOVED PLYWOOD



Interior Coverings and Decoration

Features and Advantages

- 100% Radiata Pine boards
- Coating Material
- Lower energy consumption in manufacturing
- Lower carbon footprint (< Emission kg CO2/t)
- Use of Bioadhesive / WBP (water boiled proof)
- Different grooved finishes that enhance your projects
- Finishing with grade B and C for face and back respectively
- Grit sanding 150
- Sustainable
- High quality finish, ideal for painting or varnishing
- Dimensional stability



Radiata Pine Grooved plywood

Installation and Main Applications

- Fast and easy
- According to the general construction manual (OGUC)
- Excellent finish for decorative interior coating of walls and ceilings
- Ideal for painting and varnishing

General Properties		Standard
Sustainability	Lower carbon footprint	ISO 14067
Glue	Bioadhesive / WBP (Water Boiled Proof)	PS1, EN314
Formaldehyde emission	< 0.020 [ppm]	ASTM E1333-14
Glue quality	Class 3 – Outdoor environment	PS1, EN314
Grade of boards	Face B / Back C	PS1, EN314

CONTACT US

+56 9 4205 8882 – +56 9 9828 3172
 contacto@pewenwp.cl
 www.pewenwp.cl



Groove profile and characteristics / Cross Section

Groove Profile	Width (mm)	Depth (mm)	Spacing (inches)
W (Beaded Ceiling)	7-9mm	1,4 - 1,5mm	2"
V (Noble)	4-5mm	1,4mm	2" and 4"
U (T1-11 Classic)	9,5mm	6,0 - 7,5mm	4" and 8"
U (T1-11 Rough)	9,5mm	6,0 - 7,5mm	4" and 8"

W Colonial



T1-11 Classic



Technical Specifications

Nominal Thickness (mm)	6	8	9	11	12	15	18
Nº of Layers	3	3	5	5	5	7	7
Size / Dimensions : Length (m) x Width (m)	2,44 X 1,22						
Tolerance Length [m] Tolerance Width [m] Tolerance Squareness [mm]	±4,0						
Units per bundle	160	122	108	90	80	65	54
Weight per Unit (Kg)	8,93	11,88	13,42	15,8	17,87	22,30	26,85
Weight per bundle (Kg)	1430 ±5	1450 ±5	1450 ±5	1430 ±5	1430 ±5	1450 ±5	1450 ±5

CONTACT US

+56 9 4205 8882 - +56 9 9828 3172
 contacto@pewenwp.cl
 www.pewenwp.cl



CONTACT US:

+56 9 4205 8882 – +56 9 9828 3172 - contacto@pewenwp.cl

www.pewenwp.cl