

Contact us: +56 9 4205 8882 - +56 9 9828 3172 - contacto@pewenwp.cl - www.pewenwp.cl

Kiln Dried Sawn Lumber, Rough and Planed (S4S, S2S)



We stand out as a company **specialized in international trading products derived from wood**, offering both raw materials or commodities as products with added value.

Your best option for Construction and multiple uses

KILN DRIED SAWN LUMBER, ROUGH AND PLANED (S4S, S2S)

Construction, Carpentry, Furniture


Sawn lumber dried in industrial kiln, which improves its stability, marketability and useful life.

By drying and reducing the moisture content to an acceptable level, its value increases due to the fact that the wood is stabilized in its dimensions and improves its resistance and tone; also transportation costs are lower by reducing its weight.

Kiln drying allows sawn timber to be dried in a closed and controlled environment, where temperature, air circulation and humidity can be regulated to achieve the most economical drying conditions possible without resulting in degradation of the material.



Kiln Dried Sawn Lumber, Rough and Planed (S4S, S2S)




CONTACT US

+56 9 4205 8882 - +56 9 9828 3172
contacto@pewenwp.cl
www.pewenwp.cl

Dimensions and Packing ROUGH SAWN LUMBER Radiata pine 3.20mt

Size/ dimension (inches)	Final thickness (mm)	Final Width (mm)	Lenght (mm)	Pieces/ bundle	m3/piece	m3/bundle	Tolerance (mm)	Weight/ bundle (kg)
1 x 2	23	45	3200	480	0,0033	1,590	-0/+3	960
1 x 3	23	70	3200	336	0,0052	1,731	-0/+3	1008
1 x 4	23	96	3200	240	0,0071	1,696	-0/+3	960
1 x 5	23	120	3200	192	0,0088	1,696	-0/+3	960
1 x 6	23	146	3200	168	0,0107	1,805	-0/+3	1008
1 x 8	23	195	3200	120	0,0144	1,722	-0/+3	960
1 x 10	23	240	3200	96	0,0177	1,696	-0/+3	960
2 x 2	45	45	3200	240	0,0065	1,555	-0/+3	960
2 x 3	45	70	3200	168	0,0101	1,693	-0/+3	1008
2 x 4	45	96	3200	120	0,0138	1,659	-0/+3	960
2 x 5	45	120	3200	96	0,0173	1,659	-0/+3	960
2 x 6	45	146	3200	84	0,0210	1,766	-0/+3	1008
2 x 8	45	195	3200	60	0,0281	1,685	-0/+3	960
2 x 10	45	240	3200	48	0,0346	1,659	-0/+3	960
3 x 3	70	70	3200	112	0,0157	1,756	-0/+3	1008
4 x 4	96	96	3200	60	0,0295	1,769	-0/+3	



Kiln Dried Sawn Lumber, Rough and Planed (S4S, S2S)

CONTACT US

+56 9 4205 8882 - +56 9 9828 3172
 contacto@pewenwp.cl
 www.pewenwp.cl

Dimensions and Packing KD S4S LUMBER Radiata pine 3.20mt

Size/ dimension (inches)	Final thickness (mm)	Final Width (mm)	Lenght (mm)	Pieces/ bundle	m3/piece	m3/bundle	Tolerance (mm)	Weight/ bundle (kg)
1 x 1	19	19	3200	1152	0,0012	1,331	-0/+1	
1 x 2	19	41	3200	576	0,0025	1,436	-0/+1	1037
1 x 3	19	65	3200	360	0,0040	1,423	-0/+1	972
1 x 4	19	90	3200	264	0,0055	1,445	-0/+1	950
1 x 5	19	115	3200	216	0,0070	1,510	-0/+1	972
1 x 6	19	138	3200	192	0,0084	1,611	-0/+1	1037
1 x 8	19	185	3200	120	0,0112	1,350	-0/+1	864
1 x 10	19	230	3200	96	0,0140	1,342	-0/+1	864
2 x 2	41	41	3200	300	0,0054	1,614	-0/+1	1200
2 x 3	41	65	3200	192	0,0085	1,637	-0/+1	1152
2 x 4	41	90	3200	132	0,0118	1,559	-0/+1	1056
2 x 5	41	115	3200	108	0,0151	1,630	-0/+1	1080
2 x 6	41	138	3200	96	0,0181	1,738	-0/+1	1152
2 x 8	41	185	3200	60	0,0243	1,456	-0/+1	960
2 x 10	41	230	3200	48	0,0302	1,448	-0/+1	960
3 x 3	65	65	3200	112	0,0135	1,514	-0/+3	1152
4 x 4	90	90	3200	60	0,0259	1,555	-0/+3	1037



Kiln Dried Sawn Lumber, Rough and Planed (S4S, S2S)

CONTACT US

+56 9 4205 8882 - +56 9 9828 3172
 contacto@pewenwp.cl
 www.pewenwp.cl



CONTACT US

+56 9 4205 8882 – +56 9 9828 3172 - contacto@pewenwp.cl

www.pewenwp.cl